Hot Engine Stopping

Facility:	Written By:	Approved By:	Date Created:	Date of Last Revision

Hazards Present:	PPE or Devices Required:	Additional Training Required:
Vehicle or property damage	Steel toed boots	
Serious injury	Eye protection	
Engine failure		

Safe Work Procedure:

- 1) Park the machine on stable level ground.
- 2) Place machine in neutral or park and set parking brake.
- 3) Slow motor to idle.
- 4) Dismount machine using three point contact method.
- 5) Do walk around inspection to check for leaks and repairs.
- 6) Do not idle for longer than 15 minutes.
- 7) Mount machine using 3 point contact and turn engine off.
- 8) Dismount using 3 point contact and perform post trip inspection and record in daily log.

If an emergency situation occurs while conducting this task, or there is an equipment malfunction, engage the emergency stop and follow the lock out procedure

REPORT ANY HAZARDOUS SITUATIONS TO YOUR SUPERVISOR

Guidance Documents/Standards:	
MB Workplace Safety & Health Act & Regulations:	This Safe Work Procedure will be reviewed any time the task, equipment or materials change and at a minimum of every three years
2.1 Safe Work Procedures	Reviewed By WSH Committee:
4 General Workplace Requirements	
6 Personal Protective Equipment	
16 Machines, Tools and Robots	Date: